

# INDEX MAPS.

## T. 25N, R. 7 E. 2<sup>nd</sup> Mer.

			<del>221</del> 208	208	207				
6	5	4	3	217	2	212	1	207	
				<del>217</del>	<del>216</del>	<del>212</del>			
7	8	9	10	216	11	212	12	207	
				<del>216</del>	<del>215</del>	<del>211</del>			
18	17	16	15	217	215	14	211	13	207
				<del>217</del>	<del>216</del>	<del>214</del>	<del>210</del>		
19	20	21	22	214	23	210	24	206	
				<del>215</del>	<del>214</del>	<del>209</del>			
30	29	28	27	213	26	209	25	206	
				<del>213</del>	<del>213</del>	<del>209</del>			
31	32	33	34	213	35	208	36	205	
				<del>205</del>	<del>205</del>	<del>205</del>			

## T. 26N, R. 7 E. 2<sup>nd</sup> Mer.

	228		227		227		226		226		226	
228	6	249	5	244	4	239	3	239	2	234	1	225
	<del>249</del>		<del>249</del>		<del>245</del>		<del>240-239</del>		<del>238</del>		<del>233</del>	
228	7	250	8	245	9	240	10	238	11	233	12	225
	<del>251</del>		<del>250</del>		<del>246</del>		<del>241-238</del>		<del>237</del>		<del>233</del>	
229	18	251	17	246	16	241	15	237	14	232	13	225
	<del>252</del>		<del>252</del>		<del>246</del>		<del>241-237</del>		<del>236</del>		<del>232</del>	
229	19	253	20	247	21	242	22	236	23	232	24	224
			<del>248</del>		<del>247</del>		<del>242-236</del>		<del>235</del>		<del>231</del>	
230	30		29	248	28	243	27	235	26	231	25	224
						<del>244</del>	<del>243-235</del>		<del>234</del>		<del>230</del>	
	31		32		33	<del>244</del>		234	35	230	36	224
								223	223		223	

The figures on the lines refer to the page.

Township N. 25 North, Range N. 7 East 2. Mer. Ind. 205

### Township Lines.

Chs. 1st. South Boundary. Var.  $\bar{C}$ . 15. E.

Bearings at corner of T. 24 & 25 N, R. 7 & 8 E.

a Sugar 9 in. dia. bears S 18 E 13 Ws. dist. 8

a Beech 10 " " " N 17 E 39 " "

West on the S. Boundary of Sec. 36

26.16 a Hickory 18 in. dia.

46.00 set of sec. post from which

a Beech 10 in. dia. bears S 64 E 11 Ws. dist. 2

a Do 14 " " " N 85 W 24 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 12 in. dia. bears S 84 E 10 Ws. dist. 8

a Do 8 " " " N 73 W 22 " "

Over wet land, Timber Beech, Ark, Elm &c.

---

West on the S. Boundary of Sec. 35

19.00 a Hickory 18 in. dia.

40.00 set of sec. post from which

a Oak 8 in. dia. bears N 62 E 9 Ws. dist. 8

a Beech 7 " " " N 89 W 14 " "

57.50 a Poplar 24 " "

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 8 in. dia. bears N 67 E 25 Ws. dist. 2

a Do 10 " " " S 76 W 22 " "

Land &c. same as last described.

---

West on the S. Boundary of Sec. 34

28.18 Intersect E. Boundary of Miami Reservation,

set post from which

an Elm 12 in. dia. bears N 27 W 6 Ws. dist. 8

an Ark 5 " " " S 61 W 19 " "

(Description of land &c. omitted)

April 6. 1820

---

East Boundary. Var.  $\bar{C}$ . 30 E.

North on the E. Boundary of Sec. 36



T. 25 N., R. 7 E., S. 2 Mer. Ind.<sup>a</sup>

Ch. 1st.

29.70 a Beech 13 in. dia.

40.00 set of rec. post from which  
a Beech 10 in. dia. bears S 39 E 21 Ws. dist. 8  
an Ash 5 " " " N 8 E 20 " "

68.55 an Ash 12 " "

80.00 set post cor. of sec. 25 & 36 from which  
a Beech 8 in. dia. bears S 77 W 37 Ws. dist. 8  
a Do 14 " " " N 73 W 26 " "

Over good farming land. Timber Beech, Sugar  
Ash & W. Spr. Spice

North on the E. Boundary of Sec. 25

24.43 a Sugar 18 in. dia.

40.00 set of rec. post from which  
a Beech 13 in. dia. bears S 41 E 25 Ws. dist. 8  
an Elm 10 " " " N 73 W 15 " "

70.00 set post on left bank of Mississinewa R. from wh.  
an Elm 18 in. dia. bears N 48 E 6 Ws. dist. 8  
a Buckeye 10 " " " S 40 W 14 " "

73.66 set post on right bank of River from which  
an Oak 20 in. dia. bears N 88 W 21 Ws. dist. 8  
an Ironwood 8 " " " S 88 E 5 " "

80.00 set post cor. of sec. 24 & 25 from which  
a Beech 12 in. dia. bears S 31 E 53 Ws. dist. 8  
a Sugar 20 " " " N 25 W 35 " "  
Land &c. same as last described.

North on the E. Boundary of Sec. 24

24.80 a Beech 14 in. dia.

40.00 set of rec. post from which  
an Elm 20 in. dia. bears S 68 W 11 Ws. dist. 8  
a Buckeye 7 " " " S 87 E 10 " "

80.00 set post cor. of sec. 13 & 24 from which  
an Oak 20 in. dia. bears S 23 W 6 Ws. dist. 8  
an Elm 8 " " " N 8 E 37 " "  
Land &c. same as last described.

*T. 25 N., R. 7 E. S. 2. Mer. Ind.*

*Ch. 1st.*

*North on the E. Boundary of Sec. 13*

*29.30 a Beech 14 in. dia.*

*40.00 set of sec. post from which*

*a Sugar 18 in. dia. bears S 44° W 34 Ws. dist. 8*

*a Beech 8 " " " N 50° E 18 " "*

*55.20 a Sugar 14 " "*

*80.00 set post cor. of sec. 12 & 13 from which*

*a Beech 14 in. dia. bears S 18° E 53 Ws. dist. 8*

*an Ironwood 8 " " " N 65° W 25 " "*

*Land &c. same as last described.*

*North on the E. Boundary of Sec. 12*

*40.00 set of sec. post from which*

*a Sugar 16 in. dia. bears S 41° E 29 Ws. dist. 8*

*a Beech 12 " " " N 9° W 23 " "*

*74.00 a creek 30 Ws. wide course NW*

*80.00 set post cor. of sec. 11 & 12 from which*

*a Hornbeam 8 in. dia. bears S 5° E 12 Ws. dist. 8*

*a Beech 10 " " " N 5° W 21 " "*

*Land &c. same as last described.*

*North on the E. Boundary of Sec. 1*

*39.00 a Brook 3 Ws. wide course W*

*40.00 set of sec. post from which*

*a Beech 10 in. dia. bears N 80° W 15 Ws. dist. 8*

*a Do 20 " " " S 62° E 22 " "*

*75.10 set post cor. of T. 25 & 26 N., R. 7 & 8 E. from wh.*

*a Beech 12 in. dia. bears S 47° E 7 Ws. dist. 8*

*an Ironwood 8 " " " N 1° W 14 " "*

*Land &c. same as last described.*

*April 4, 1820*

*North Boundary. Var. 6.00 E.*

*West on the S. Boundary of Sec. 36, T. 26 N., R. 7 E*

*40.00 set of sec. post from which*

*an Elm 8 in. dia. bears S 75° E 20 Ws. dist. 8*

T. 25 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>

Chs. & R.

an Ironwood 8 in. dia. bears N 55° W 41 Ws. dist. 8  
 07.50 an Oak 14 " "  
 80.00 set part cor. of sec. 35 & 36 from which  
 an Oak 40 in. dia. bears S 76° E 34 Ws. dist. 8  
 a Do 10 " " " N 54° W 31 " "  
 Over good farming land. Timber Beech, Ark &c.

West on the S. Boundary of Sec. 35, T 26 N, R 7 E

9.00 an Oak 48 in. dia.  
 40.00 set q. sec. part from which  
 an Ark 7 in. dia. bears East 34 Ws. dist. 8  
 an Oak 20 " " " S 80° W 18 " "  
 80.00 set part cor. of sec. 34 & 35 from which  
 a Beech 14 in. dia. bears N 65° E 30 Ws. dist. 8  
 an Elm 10 " " " S 25° W 9 " "  
 Over stony land. Timber Beech, Elm &c.

West on the S. Boundary of Sec. 34, T 26 N, R 7 E

19.50 Intersect E. Boundary of Miami Reservation  
 set part from which  
 an Ark 24 in. dia. bears N 67° E 32 Ws. dist. 8  
 a Beech 12 " " " S 18° W 20 " "  
 (Description of land &c omitted)  
 April 5. 1820 John M. Donald  
 Deputy Surveyor.

### Subdivision.

North between Sec. 35 & 36

31.66 an Ark 24 in. dia.  
 40.00 set q. sec. part from which  
 a Beech 18 in. dia. bears N 19° W 29 Ws. dist. 8  
 a Do 6 " " " S 31° E 18 " "  
 41.40 an Ark 20 " "  
 70.00 a Stream 5 Ws. wide comes NW  
 80.00 set part cor. of sec. 25, 26, 35 & 36 from which  
 a Beech 5 in. dia. bears S 75° E 12 Ws. dist. 8

*T. 25 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>*

*Chs. Dr.*

a Beech 12 in. dia. bears S 85 W 22 Ws. dist.  
(Description of land &c. omitted)

*East on Random between Secs. 25 & 30*

40.00 set temp. of sec. post

80.71 Intersect E. Boundary 102 Ws. N. of post -  
Land level 2<sup>d</sup> rate. Timber Ash, Beech, Oak,  
Sugar, Hickory, Linn &c.

*West Connected between Secs. 25 & 30*

40.35 set of sec. post at aver. dist from which  
a Sugar 28 in. dia. bears N 2 E 39 Ws. dist. 3  
a Beech 18 " " " S 18 W 20 " "

80.71 to sec. cor.

*North between Secs. 25 & 26*

19.61 a Beech 10 in. dia.

32.50 a Stream 20 Ws. wide course NE

40.00 set of sec. post from which  
a Hickory 4 in. dia. bears N 2 E 17 Ws. dist. 3  
a Do 4 " " " S 28 E 25 " "

80.00 set post cor. of secs. 23, 24, 25 & 26 from which  
a Beech 6 in. dia. bears S 41 E 3 Ws. dist. 3  
a Do 6 " " " S 54 W 5 " "

Beautiful rich rolling land; Timber mostly  
Sugar.

*East on Random between Secs. 24 & 25*

3.75 a Stream 6 Ws. wide course N.

24.25 a Do 8 " " " NW

40.00 set temp. of sec. post

61.92 Mississinewa River 200 Ws. wide course NE

80.65 Intersect E. Boundary 222 Ws. N. of post -  
Land rolling good 2<sup>d</sup> rate.

*West Connected between Secs. 24 & 25*



T. 25 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Sk.

- 15.73 set post on right bank of Mississinewa R. from wh.  
an Elm 12 in. dia. bears N 38 E 31 Yds. dist. S  
a Buckeye 4 " " S 41 E 34 " "
- 18.73 set post on left bank of Mississinewa R. from wh.  
a R. Oak 10 in. dia. bears N 22 W 9 Yds. dist. S  
a W. Oak 4 " " S 59 E 22 " "
- 40.32 set of sec. post from which  
a Buckeye 10 in. dia. bears N 40 E 8 Yds. dist. S  
a Do 6 " " S 27 W 8 " "
- 80.05 to sec. cor.

North between Secs. 23 & 24

- 12.38 an Elm 20 in. dia.
- 40.00 set of sec. post from which  
a W. Beech 6 in. dia. bears West 25 Yds. dist. S  
a Beech 18 " " S 80 E 19 " "
- 43.50 an Elm 36 " "
- 72.00 a Stream 20 Yds. wide course NW
- 80.00 set post cor. of Secs. 13, 14, 23 & 24 from which  
a Beech 24 in. dia. bears N 33 E 24 Yds. dist. S  
a Do 20 " " S 49 W 29 " "  
Land rolling & rich. Timber Beech, Buckeye,  
Sugar & Wyr. Spice, Pawpaw &c.

East on Radium between Secs. 13 & 24

- 32.50 Intersect Mississinewa River, line in the river
- 40.00 no temp. of sec. post
- 51.50 leave River to the N.
- 65.00 Intersect Mississinewa River
- 81.00 Intersect E. Boundary 175 Yds. N. of post—  
Land somewhat broken

West Connected between Secs. 13 & 24

- 17.00 set post on right bank of Mississinewa R. from wh.  
a Willow 8 in. dia. bears S 81 E 11 Yds. dist. S  
a Do 6 " " N 44 W 12 " "



T. 25 N., R. 7 E. 2. Mer. Ind. &  
Ch. Cr.

20.00 set post on left bank of Mississinewa R. from which  
an Elm 20 in. dia. bears S 29 W 19 Ws. dist. 2  
a Sycamore 20 " " N 32 W 55 " "

40.00 gr. sec. corner in the river, therefore no witnesses.  
[Balance of this line omitted]

North between Sec. 13 & 14

3.06 set post on left bank of Mississinewa R. from which  
a Sycamore 30 in. dia. bears N 73 W 62 Ws. dist. 2  
a Buckeye 10 " " S 14 W 36 " "

6.48 set post on right bank of River from which  
an Elm 18 in. dia. bears N 80 W 16 Ws. dist. 2  
a Lym 8 " " N 69 E 56 " "

34.50 an Elm 20 " "

40.00 set gr. sec. post from which  
a Beech 18 in. dia. bears N 84 E 16 Ws. dist. 2  
a Do 10 " " S 43 W 32 " "

40.84 a Beech 30 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
a Hickory 18 in. dia. bears N 15 E 18 Ws. dist. 2  
a Beech 15 " " S 13 E 32 " "

First half mile broken, last half mile level 2.  
rate. Timber Beech, Oak, Sugar, Hickory &  
Upr. Spice, Beech, Ironwood &

East on Random between Sec. 12 & 13

40.00 set temp. gr. sec. post

81.50 Intersect E. Boundary 150 Ws. N. of post -  
Land level, part inclining to wet. Timber  
Beech, Ash, Hickory, Oak & Upr. Spice,  
Ironwood &

West corrected between Sec. 12 & 13

40.75 set gr. sec. post from which  
a Beech 10 in. dia. bears N 67 E 22 Ws. dist. 2  
a Dogwood 5 " " S 43 W 6 " "

T. 25 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>

Ch. 2k.

81.50 to sec. cor.

North between Sec. 1 & 2

1.40 a Beech 18 in. dia.

40.00 set of sec. post from which

a Cherry 11 in. dia. bears N 79 W 20 Ws. dist. 8

a Beech 16 " " S 37 E 23 " "

57.85 at Beech 12 " "

80.00 set post cor. of sec. 1, 2, 1 & 2 from which

a Buckeye 14 in. dia. bears N 32 W 32 Ws. dist. 8

a Beech 20 " " S 47 E 4 " "

Land level 2<sup>d</sup> rate, timber as before described

East on Randon between Sec. 1 & 2

40.00 set temp. of sec. post

74.50 a Branch 10 Ws. wide course NW

82.00 Intersect East Boundary at post -  
Good 2<sup>d</sup> rate land.

West Connected between Sec. 1 & 2

41.00 set of sec. post at aver. dist. from which

a Beech 18 in. dia. bears N 23 E 6 Ws. dist. 8

a Do 16 " " S 47 W 19 " "

82.00 to sec. cor.

North between Sec. 1 & 2

2.00 an Ash 24 in. dia.

14.00 a Stream 33 Ws. wide course NW

40.00 set of sec. post from which

a W. Beech 4 in. dia. bears S 87 E 3 Ws. dist. 8

a Do 4 " " West 8 " "

51.87 a Beech 20 " "

71.00 Intersect N. Boundary 150 Ws. W. of post -

set post at intersection cor. of sec. 1 & 2 from which

a Buckeye 6 in. dia. bears N 81 E 14 Ws. dist. 8

a Do 10 " " S 82 W 24 " "

213

T. 25 N., R. 7 E. 2. Mer. Ind. a

Chas. Ek.

Land level good 3<sup>rd</sup> rate. December 1. 1823

---

North between Sec. 34 & 35

15.00 a Sugar 18 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears N 34 E 6 Ws. dist. 8

an Ash 8 " " " S 32 W 4 " "

50.00 a Burr Oak 30 in. dia.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

an Ash 20 in. dia. bears S 41 W 15 Ws. dist. 8

a Hickory 8 " " " N 5 W 12 " "

Land level & rich. Timber Ash, Hickory, Walnut,  
Sugar &c

---

East on Random between Sec. 26 & 35

40.00 set temp. of sec. post

65.50 a Stream 5 Ws. wide course N

80.39 Intersect N. G. line 2 Ws. N. of post -

Very excellent farming land. Timber Sugar,  
Syc, Ash, Walnut &c

---

West Corrected between Sec. 26 & 35

40.29 set of sec. post at aver. dist. from which

a Beech 7 in. dia. bears S 63 W 12 Ws. dist. 8

a Sugar 12 " " " N 20 E 30 " "

80.39 to sec. cor.

---

West between Sec. 27 & 34

26.25 set post on Reserve line from which

a Beech 12 in. dia. bears N 75 E 12 Ws. dist. 8

an Ash wood 3 " " " S 20 E 14 " "

Land level 3<sup>rd</sup> rate. Timber Beech, Ash &c

---

North between Sec. 26 & 27

10.75 a White wood 18 in. dia.

40.00 set of sec. post from which

T. 25 N., R. 7 E., S. 2 Mer. Ind. a

Chs. 8 1/2

an Ash 8 in. dia. bears S 42 E 3 Ws. dist. 8  
 a Do 6 " " " N 30 W 5 " "  
 65.25 a Sycamore 15 in. dia.  
 80.00 set post cen. of sec. 22, 23, 26 & 27 from which  
 an Elm 28 in. dia. bears N 40 E 25 Ws. dist. 8  
 a Syc 28 " " " West 17 " "  
 Land level 2 rate.

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post  
 78.25 Intersect N & S. line 130 Ws. N. of post -  
 Rich rolling land. Timber Sugar, Buckeye,  
 Elm, Walnut &c.

West Corrected between Sec. 23 & 26

39.12 set gr. sec. post at aver. dist. from which  
 a Sugar 20 in. dia. bears N 70 W 15 Ws. dist. 8  
 a Beech 10 " " " S 72 E 10 " "  
 78.25 to sec. cor.

North between Sec. 22 & 23

25.00 a Beech 18 in. dia.  
 40.00 set gr. sec. post from which  
 a Poplar 12 in. dia. bears N 2 E 7 Ws. dist. 8  
 a Sugar 7 " " " S 15 W 20 " "  
 63.50 an Ash 30 " "  
 80.00 set post cen. of sec. 14, 15, 22 & 23 from which  
 a Buckeye 12 in. dia. bears S 75 W 15 Ws. dist. 8  
 a Do 8 " " " S 73 E 17 " "  
 Rolling T. rate land.

East on Random between Sec. 14 & 23

40.00 set temp. gr. sec. post  
 69.00 a Stream 15 Ws. wide come N.  
 79.40 Intersect N & S. line 3 Ws. N. of post -  
 Land &c. as last described.



T. 25 N., R. 7 E. 2. Mer. Ind.  
Ch. 1. 18.

West Corrected between Sec. 14 & 23

39.70 set of sec. post at aver. dist. from which  
a Buckeye 20 in. dia. bears N 35° W 15 Ws. dist. 8  
an Ash 40 " " " S 30° E 14 " "

79.40 to sec. cor.

West between Sec. 22 & 27

24.00 set post on Reserve line from which  
an Ash 14 in. dia. bears S 50° E 11 Ws. dist. 8  
a Do 8 " " " S 75° W 12 " "  
Level poor land

North between Sec. 14 & 15

11.20 a Beech 18 in. dia.

40.00 set of sec. post on left bank of Mississinewa River  
from which

an Elm 55 in. dia. bears S 39° W 196 Ws. dist. 8  
a Do 28 " " " S 89° W 146 " "

42.00 set post on right bank of river from which  
an Ash 8 in. dia. bears N 84° W 35 Ws. dist. 8  
a Do 14 " " " S 58° E 16 " "

54.50 a W. Oak 18 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which  
a Beech 14 in. dia. bears S 16° E 14 Ws. dist. 8  
an Ironwood 4 " " " N 45° E 10 " "

Land T. half mile T. rate, last half 2. rate.

East in Random between Sec. 11 & 14

40.00 set temp. of sec. post

80.20 Intersect N. S. line 2 Ws. N. of post -

Level 2. rate land, Beech, Hickory, Sugar &c.

West Corrected between Sec. 11 & 14

40.10 set of sec. post at aver. dist. from which  
a Hickory 24 in. dia. bears S 10° E 8 Ws. dist. 8  
an Ash 30 " " " N 50° W 14 " "



T. 25 N., R. 6 E., S. 1 Mer. Ind.<sup>a</sup>  
Chas. E. M.

80.20 to sec. cor.

West between Sec. 15 & 22

21.10 set post on Reserve line from which  
a Walnut 30 in. dia. bears S 87° 13' W. 13 Mk. dist. 2  
a Beech 10 " " " N 10° E 59 " "  
Land 1<sup>st</sup> rate

North between Sec. 10 & 11

34.50 a Hickory 24 in. dia.  
40.00 set of sec. post from which  
a Beech 7 in. dia. bears S 52° E 18 Mk. dist. 2  
a Do 10 " " " N 75° W 11 " "  
65.90 a Hickory 30 " "  
79.50 a Stream 20 Mk. wide course NW  
80.00 set post cor. of sec. 2, 3, 10 & 11 from which  
a Box Elder 15 in. dia. bears N 20° W 94 Mk. dist. 2  
a Do 10 " " " N 60° E 34 " "  
Rolling rich land.

East on Random between Sec. 2 & 11

0.50 a Stream 20 Mk. wide course SW  
40.00 set temp. of sec. post  
82.00 Intersect N & S. line 190 Mk. N. of post—  
Land level very rich. Timber Sugar, Hack-  
berry, Elm, Walnut & Wp. Spice, Ash &c.

West corrected between Sec. 2 & 11

41.00 set of sec. post at aver. dist. from which  
a Buckeye 8 in. dia. bears S 57° W 14 Mk. dist. 2  
a Do 5 " " " S 70° E 13 " "  
82.00 to sec. cor.

West between Sec. 10 & 15

18.56 set post on Reserve line from which  
a Beech 8 in. dia. bears N 5° E 10 Mk. dist. 2

Comp'd

T. 25 N., R. 7 E. 2. Mer. Ind. a  
Ch. 10

a Beech 10 in. dia. bears S 42 E 15 Ws. dist.  
Level 2<sup>nd</sup> rate land

North between Sec. 2 & 3

31.50 a Sugar 18 in. dia.

44.00 set g. rec. post from which

a Beech 10 in. dia. bears N 85 E 20 Ws. dist. 8

a R. Oak 12 " " " N 32 W 10 " "

74.00 Intersect N. Boundary 585 Ws. W. of post

set post at intersection cor. of Sec. 2 & 3 from wh.

a Sugar 20 in. dia. bears N 80 E 30 Ws. dist. 8

a Beech 8 " " " S 60 W 23 " "

Very excellent rolling land. Dec. 1. 1823

West between Sec. 3 & 10

0.50 a Stream 20 Ws. wide course N.

1.50 Do 20 " " " S.

5.00 Do 20 " " " N.

8.00 Do 20 " " " S.

15.50 set post on Reserve line from which

a Thorn 4 in. dia. bears S 20 W 14 Ws. dist. 8

a Buckeye 10 " " " N 70 E 7 " "

Land 1<sup>st</sup> rate

South on E. Boundary of Miami Reservation from  
the corner of Sec. 10 & 15

25.50 set post on right bank of Mississinewa R. from wh.

an Elm 20 in. dia. bears West 15 Ws. dist. 8

a Bur Oak 14 " " " N 13 E 60 " "

North on E. Boundary of Miami Reservation from  
the corner of Sec. 15 & 22

50.30 set post on left bank of Mississinewa R. from which

an Ash 12 in. dia. bears N 34 E 14 Ws. dist. 8

a Do 18 " " " S 23 E 16 " "

T. 25 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Meanders of Mississinewa River.  
Left bank up stream. Beginning at post in  
E. Boundary of Miami Reserve, thence:

Courses	Ch. Sp.	Remarks.
S 71 E	8.00	In Sec. 15
S 48 E	11.50	
N 88 E	4.88	to post in line between Sec. 14 & 15
S 39 E	19.00	In Sec. 14
S 66 E	10.00	
N 77 E	15.00	
S 76 E	5.00	
S 41 E	9.00	at 2.40 Ch. a Spring branch
S 39 E	17.00	
S 65 E	14.00	
N 79 E	9.00	at 5.00 Ch. a stream 10 Mts. wide comes S E
N 86 E	2.34	to post in line between Sec. 13 & 14
N 71 E	9.00	In Sec. 13
N 77 E	6.00	
S 73 E	7.00	
S 61 E	15.50	to post in line between Sec. 13 & 24
S 61 E	11.50	In Sec. 24
N 64 E	5.50	to post in line between Sec. 13 & 24
N 64 E	6.50	In Sec. 13
S 69 E	6.00	to post in line between Sec. 13 & 24
S 45 E	4.00	In Sec. 24 - lower end of Island
S 67 N	5.00	
S 29 E	16.00	
S 14 N	7.00	
S 10 N	7.00	
S 8 E	13.00	

## T. 25 N., R. 7 E., S. 2 Mer. Ind.

Courses	Chs. Chs.	Remarks
S 39 W	17.00	
S 25 W	15.00	to port in line between Sec. 24 & 25 at 4.50 Chs. high limestone Bluff
S 19 E	6.00	In Sec. 25
S 49 E	7.00	
S 75 E	8.00	
N 73 E	4.16	to port in E. Boundary of Township.
		Right bank up stream. Beginning at port in E. Boundary of Miami Reservation, thence: Var. 6.30 E.
S 76 E	5.50	In Sec. 15
S 43 E	12.00	
S 61 E	2.50	
S 74 E	3.88	to port in line between Sec. 14 & 15
S 53 E	9.00	In Sec. 14
S 31 E	10.27	
S 59 E	5.00	high lime stone bank
S 79 E	4.23	
N 81 E	17.50	
S 55 E	12.00	small Island opposite
S 31 E	17.83	
S 51 E	4.00	
S 73 E	5.70	
S 89 E	11.50	
N 68 E	4.00	to port in line between Sec. 13 & 14
N 75 E	5.50	In Sec. 13 - at 2.00 Chs. a Stream 10 M. wide course N - at end a Road
N 75 E	12.00	
S 65 E	16.00	
S 61 E	14.00	
N 78 E	4.00	
N 67 E	8.00	high Bluff

T. 25 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Courses &amp; Chs. &amp; M.

Remarks.

N 86 E 8.00

S 46 E 6.66 to post in line between Sec. 13 &amp; 24

S 19 E 4.00 In Sec. 24

S 57 E 8.00

S 1 E 5.00 old Indian field

S 6 W 12.00 upper end of Island

S 16 W 6.00

South 10.00 upper end of field

S 4 E 19.00 Bed of River line stone &amp; Bluff

S 22 W 19.50 to post in line between Sec. 24 &amp; 25

S 20 W 1.50 In Sec. 25

S 39 E 6.00

S 61 E 6.00

S 89 E 5.00

N 85 E 1.80 to post in E. Boundary of Township  
Surveyed in December 1823

by John Hendricks.

Deputy Surveyor

\*

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 25 N.,  
of Range N. 7 East of the 2<sup>d</sup> Principal Meridian,  
in the State of Indiana, has been compared with  
the original on file in this office, and found  
to be correct.

Surveyor General's Office,  
Cincinnati, March 8, 1845.

William Johnston  
Sur. Genl.



T. 25 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>d</sup>  
 Ch. 10.

\* West on Township line between T. 25 & 26 N., R. 7 E. Beginning on the E. Boundary of Great Miami Reservation

5.99 an Ash 24 in. dia.

10.70 a Beech 24 " "

18.11 Intersect N.E. Boundary of Grant N<sup>o</sup> 22,

at point from which

a Hickory 24 in. dia. bears S 42 E 2 M. dist. 1.8

a Beech 12 " " N 36 E 20 " "

Measured along N.E. Boundary of Grant N<sup>o</sup> 22 - S 56.30' E. 23.07 Ch. to the N.E.

corner of Grant N<sup>o</sup> 22

Measured along the old E. Boundary of Miami Reserve, North 14.07 Ch. to point in North Boundary.

July 11. 1839

Chauncy Carter

Deputy Surveyor.

# INDEX MAPS. T.24N. R.7 E . 2<sup>d</sup> Mer.

433	433	433	434		
436 6	463 5	452 4	441 3	2	1
462	461	457	445		
436 7	461 8	450 9	443 10	11	12
460	459	449	442		
436 18	459 17	449 16	441 15	14	13
458	457	448	444		
435 19	457 20	447 21	440 22	23	24
456	455	447	439		
435 30	454 29	446 28	439 27	26	25
453	453	445	438		
434 31	452 32	445 33	437 34	35	36
431	431	432	432		

# T.25N. R.7 E . 2<sup>d</sup> Mer.

469	465.	462	460		
472 6	493 5	483 4		3	2
443	442	443			
472 7	441 8	481 9		10	11
441	440	441			
471 18	489 17	481 16	477 15	14	13
489	488	480	476		
471 19	487 20	480 21	475 22	23	24
487	486	479	475		
470 30	485 29	479 28	474 27	26	25
485	484	478	473		
470 31	484 32	477 33	473 34	35	36
467	467	468	468		

The figures on the lines refer to the page.

467

Township N. 25 N. Range N. 7 E. 2<sup>nd</sup> Mer. Indiana  
chs. lks

South Boundary.

Var. 6.15' East

West On S. Boundary of Sec. 36.  
26.16 a Hickory 18 in. diam.  
40.00 S & L 2<sup>nd</sup> Sec. post pr. wh.  
a Beech 10 in. diam. B. S. 64 E. 11 W. x  
a Do 14 " " " N 85 W. 24 "  
80.00 S & L post Cor. to Sec. 35 & 36 pr. wh.  
a Beech 12 in. dia

South Boundary.

Var. 42.50 E.

Witness Cor. to Towns 24 & 25 N. R. 6 & 7 E.  
a Sycamore 24 in. diam. B. N. 29 E. 15 W. x  
an Elm 20 " " " S. 29 W. 23 "  
N 88° 50' E. On S. Boundary of Sec. 31  
18.55 a Sugar 15 in. diam.  
38.69 S & L 2<sup>nd</sup> Sec. post pr. wh.  
a W. Beech 6 in. diam. B. N. 23 W. 26 lks.  
a Beech 10 " " " S. 45 E. 40 "  
55.13 a Do 12 " "  
78.69 S & L post Cor. to Sec. 31 & 32 pr. wh.  
a Sugar 15 in. diam. B. N. 67 E. 5 W. x  
a Do 12 " " " N. 35 W. 44 "  
Land here first rated. Beech.  
Sycamore, Gum, W. B. Oak, W. B. Ash,  
Elm, Sugar - P. Ash & Spruce

N 88° 50' E. On S. Boundary of Sec. 32  
23.55 a Beech 12 in. diam.  
40.00 S & L 2<sup>nd</sup> Sec. post pr. wh.  
a Beech 18 in. diam. B. N. 60 E. 13 W. x  
a Do 12 " " " S. 78 W. 52 "  
46.59 a Maple 15 " "  
49.50 a Stream 15 W. wide cor. N. N. W.  
Rapids Muddy Bottom

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
chs. lks.

54.00 a Road N. by E.  
70.00 Enter Field N. 24. 3.00 each way  
71.00 House on Line  
75.00 Leave Field N. 24.  
80.00 Set post cor. to Sec. 32 & 33 p. wh.  
a W. Ash 20 in. diam. & N. 61 W. 24 lks.  
a Beech 12 " " " N. 37 E. 82 "  
Land here first rate - Timber &c  
same as last mile

N. 88.50 E. On S. Boundary of Sec. 33  
15.16 a Beech 12 in. diam.  
24.00 a Road E. N. E.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 12 in. diam. & N. 17 E. 27 lks. &  
a Do 12 " " " N. 26 W. 43 "  
42.38 an Ironw<sup>d</sup>. 6 " "  
80.00 Set post cor. to Sec. 33 & 34 p. wh.  
a Beech 6 in. diam. & N. 51 E. 20 lks. &  
a Do 6 " " " N. 29 W. 51 "  
Land here first rate -  
Timber same - Nov 4. 1846

N. 88.50 E. On S. Boundary of Sec. 34  
3.89 a B. Ash. 8 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Lumn. 12 in. diam. N. 18 W. 20 lks. &  
a Beech 12 " " " N. 30 E. 69 "  
51.82 Intersected E. Boundary of Reservation  
at Old post on Town Line  
Old bearings  
Land here rather  
wet, W. B. Ash, Sycamore, Elm,  
Lumn. Maple W. Wood, Ironw<sup>d</sup>. &c  
Surveyed in 1846 by John Mullett L. S.

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana 469

chs. lks.

North Boundary.

Var.

Witness Cor. to Towns 25 & 26 N. R. 6 & 7 East  
a B. Oak 15 in. diam.  $\theta$  N. 72 E. 68 lks. dis.  
a Beech 20 " " " N. 52 W. 53 " "

N. 89.50 E. On S. Boundary of Sec. 31. T. 26 N. R. 7 E.

5.50 East-Creek 50. co. N. N. E. rapia

10.35 To River Line N. 3 & 4<sup>th</sup> post p. wh.

a Beech 15 in. diam.  $\theta$  N. 76 W. 80 lks. &

a Sugar 20 " " " S. 23 W. 37 "

Measured S. 1.40 E. along N.  
Line of River N. 3 - 12.30 to S. E. Cor. of  
Claim N. 4 - and measured along  
N. Line of Claim N. 3 - 27.45 to S. W. Cor.  
of N. 3

76.32 Sec. Cor. 31 & 32 in Floats -

Land gently rolling pine rate  
B. Walnut, Beech, W. R. Oak, Butternut  
Sugar &c -

N. 89.50 E. On S. Boundary of Sec. 32. T. 26 N. R. 7 E.

49.70 To Easterly Line of Claim N. 2 & 4<sup>th</sup> post p. wh.

a Blue Ash 10 in. diam.  $\theta$  N. 29 E. 32 lks. &

a Hickory 8 " " " S. 43 W. 53 "

Measured S. - along Easterly  
Line of Claim N. 2 - 30.92 to S. E. Cor. of  
Claim N. 2 -

56.20 Enter Field N. & S.

69.20 a House 50 lks. N. of Line

69.70 To small portion of Missipinaway River  
course W. 60 lks. wide except to Island -

72.90 To Missipinaway River & 4<sup>th</sup> post on East  
side of Island (co N. W.) p. wh.

a Yuccamon 15 in. diam.  $\theta$  N. 95 W. 103 lks.

a Do 10 " " " N. 76 W. 104 "

Missipinaway River is 3.00 wide



T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
Chs. Mks.

and at this time rapid & shallow -  
Stony Bottom

Land is rolling fine rate  
B. Walnut, Beech, Sugar, Ironw. Hickory,

Symple - Oct. 23<sup>d</sup> 1846.

Surveyed by John Mullett

Depy. Surveyor -

Note by Recorder - Remainder of this  
Boundary in claim N<sup>o</sup> 22 -

### West Boundary.

Var. 4.35 East

N. 10<sup>th</sup> Qn E. Boundary of Sec. 36, T. 25 N. R. 7 E.

21.40 a W. Oak 18 in. diam.

33.00 a Road E. & W.

36.00 a, do N. by E.

40.00 Set 2<sup>d</sup> Sec. 101 f. wh.

a Beech 6 in. diam. B. N. 38 E. 35 W. x

a do 10 " " " 4.27 W. 23 "

42.00 Marion & Delphi Road E. & W.

57.38 a Hickory 10 in. diam.

80.00 Set 1<sup>st</sup> Cor. to Sec. 25 & 36 f. wh.

a W. Oak 24 in. diam. B. N. 64 W. 48 W.

a W. Ash 12 " " " N. 15 W. 21 "

Land here fine rate clay  
soil - W. B. Oak, Sugar, Sycamore, W. B.  
Ash, Ironw., W. Wood, Hickory, Symple,  
Elm f. - Thorn, P. Ash, & Bricks -

N. 10<sup>th</sup> Qn E. Boundary of Sec. 25, T. 25 N. R. 6 E.

19.05 a Beech 10 in. diam.

40.00 Set 2<sup>d</sup> Sec. 101 f. wh.

a Beech 8 in. diam. B. N. 38 W. 30 W. do

a do 6 " " " N. 70 W. 38 " "

51.50 a Road E. & W.

63.45 a W. Oak 10 in. diam.

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana. <sup>471</sup>

chs. lks.

65.50 a Stream 30 lks. wide co. Westing  
 73.00 a Road E & W.  
 80.00 1st post Cor. to Sec. 24 & 25 p. wh.  
 a Beech 12 in. diam. B. 47 W. 44 lks.  
 a Do 15 " " " N. 38 W. 62 "  
 Land soil first rate - Beech,  
 Sugar. Ironw. Oak. fe. Oak. Beech.  
 & Sugar. - small growth - P. Ash & Thorn

N. 10 W. On E. Boundary of Sec. 24 T. 25 N. R. 6 E.  
 19.68 a W. Ash 12 in. diam  
 40.00 1st 2<sup>nd</sup> Sec. post p. wh.  
 a Hickory 8 in. diam. B. 49 E. 15 lks. dia.  
 a W. Wood 10 " " " N. 46 W. 28 " "  
 56.14 a Beech 12 " "  
 80.00 1st post Cor. to Sec. 13 & 24 p. wh.  
 a Beech 18 in. diam. B. 45 W. 35 lks. dia.  
 a B. Oak 18 " " " N. 33 W. 30 " "  
 Land soil first rate - Timber  
 Beech. Elm. W. Ash. Gum. Sycamore.  
 Sugar. W. B. Oak. Ironw. B. Walnut. &  
 Some Spruce & P. Ash

N. 10 W. On E. Boundary of Sec. 13. T. 25 N. R. 6 E.  
 20.90 a Beech 8 in. diam  
 40.00 1st 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 8 in. diam. B. 48 W. 34 lks. &  
 a B. Ash 8 " " " N. 54 E. 9 "  
 57.05 an Elm 15 " "  
 80.00 1st post Cor. to Sec. 12 & 13 p. wh.  
 a W. Ash 15 in. diam. B. 43 W. 22 lks. &  
 a Do 10 " " " N. 25 W. 71 "  
 Land soil first rate - Clay soil  
 Beech, Elm. W. Ash. Ironw. W. Wood -  
 W. B. Oak. B. Walnut & - Some  
 P. Ash & Spruce

472 T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
chs. lks.

N. 10<sup>th</sup> Q. E. Boundary, of Sec. 12. T. 25 N. R. 6 E.  
6.00 a Road E. & W.  
28.64 an Ironb<sup>o</sup> 10 in. diam.  
31.00 a Road E. & W.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
an Ironb<sup>o</sup> 4 in. diam. b. N. 16 E. 14 lks.  
a B. Ash 6 " " " N. 39 W. 17 "  
60.59 an Elm 12 " "  
80.00 Set post cor. to Sec. 12 12 p. wh.  
a Beech 20 in. diam. b. N. 44 W. 24 lks.  
a Do 8 " " " " 2.80 W. 31 "  
Land well first rate clay soil.  
Beech, Elm, Sugar, W. B. Oak, W. Ash,  
Ironb<sup>o</sup>, Buckeye, Lynn, Hickory, &c.  
Not much underbrush.

---

N. 10<sup>th</sup> Q. E. Boundary, of Sec. 1. T. 25 N. R. 6 E.  
20.10 a Beech 12 in. diam.  
38.50 a Stream 20 lks. wide co. Easterly  
Rapid Stony Bottom  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a B. Ash 10 in. diam. b. N. 50 E. 14 lks. &  
a W. Ash 15 " " " " 2.57 W. 20 "  
50.50 a Road N. E.  
50.93 a Sugar 12 in. diam.  
73.76 Interrupted at Town cor. as previously  
Established  
(See begin. of N. Boundary, for Witnesses -  
Land gently rolling  
first rate - Clay soil - Sugar, Beech -  
Oak, Lynn, Maple, Hickory, B. Walnut &c.  
not much underbrush Oct. 3, 1846.  
Surveyed by  
John Mullett  
Deputy Surveyor.

---

# 473

## T25 A. R. & E. 2<sup>nd</sup> Mer. Indiana

cha. lks.

### Subdivision

Var. 6.30' E.

North	Between Section 33 & 34
8.00	State Road fr. Delphi to Marion Co.
10.00	Wet Marshy Land extends E & W.
11.45	a W. Elm 16 in. diam.
22.50	a Hickory 20 " "
24.00	Clear wet Land
40.00	Set 2 <sup>nd</sup> Sec. post fr. wh.
	a G. Ash 10 in. diam. fr. N. 2 <sup>nd</sup> E. 21 lks. dir.
	a W. Beech 4 " " " N. 10 W. 21 " "
47.87	a Beech 10 " "
60.00	an Elm 22 " "
69.00	Ash & Elm Swamp extends E & W.
75.00	Clear Swamp.
78.00	a Road cross E & W.
80.00	Established Co. to Sec. 27, 28, 33 & 34 fr. wh.
	a Beech 8 in. diam. fr. N. 46 <sup>th</sup> E. 12 lks. &
	a Do 10 " " " N. 86 W. 18 "
<p>Land price 10.00 per acre good  second rate - Next 14.00 per acre second  rate - Next 43.00 per acre good second rate  Next 6.00 Swamp poor - Last 5.00 per  second rate - Timber on dry Land  W &amp; B. Oak, Sugar, Gum, Poplar, Elm,  an Beech. - Thick growth of Spice  Ironwood and Birch</p>	

N. 88.50' E.	On Random Betw. Sec. 27 & 34 Var. 4.50' E.
15.50	a Road cross N. E.
20.00	a Creek 50 lks. wide co. N. W. Low Banks. Shaggyish Current
22.00	West Side of Improvement
28.00	Clear Improvement
40.00	Set Temp. post
53.80	Intersected E. Boundary of Prairie 60 lks.



474 T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
Chs. Rk.

North of pool

Land this 53.80 had good  
second rate - Timber W. Oak, Sugar,  
Beech Ash, Elm, & Poplar - Thicket  
Undr. of Ironw. & Sugar.

---

189.10 W. Established Line Betw. Secs. 27 & 34  
a G. Ash 30 in. diam. B. 169 W. 32. 16. dia.  
a Beech 22 " " " 134 W. 55 " "  
4.20 a Do 10 " "  
13.77 1st 2<sup>nd</sup> Sec. pool p. wh.  
a Burr Oak 10 in. diam. B. 130 W. 9 lbs. &  
a W. Elm 6 " " " 112 W. 24 "  
23.00 a Poplar 20 " "  
40.22 a Beech 18 " "  
53.80 to Sec. 60;

---

North Between Section, 27 & 28

Variation B. 30 East

15.00 a Creek 20 lbs. wide co. N.W.  
Low Banks slow current  
22.81 a Burr Oak 40 in. diam.  
33.50 Creek again 20 lbs. wide course N.E.  
Low Banks. slow current  
35.00 South side of improvement & clearing  
40.00 1st 2<sup>nd</sup> Sec. pool p. wh.  
a Sugar 20 in. diam. B. 131 W. 62 lbs. &  
a Beech 8 " " " 119 W. 53 "  
53.00 Clear Improvement  
60.31 a G. Ash 20 in. diam  
69.50 a Branch 8 lbs. wide co. East  
80.00 Established Cor. to Secs. 21, 22, 27, 28 p. wh.  
a Dogwood 6 in. diam. B. 16 E. 20 lbs.  
a Do 4 " " " 124 E. 18 "  
Land this 80.00 had good  
second rate - Timber Sugar Beech.

475

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
Chs. 16.

R. Oak. Elm. Poplar & Ash — Thick  
Undgth. of Spruce, Ironwood, Sugar, & Beech.

189.10'6 On Rancelon Butte: Sec. 22x27 Var. 4.50'E.  
12.00 a Creek 40 lbs. wide co. North. — Low  
Banks. Slow current  
40.00 1st Temp. 7. post  
41.00 Willow & Maple Swamp.  
55.21 Intersected E. Boundary of River at post  
Land first 41.00 but second  
rate. Timber N. Oak Sugar. Poplar.  
Elm & Beech. — Undgth. Spruce. P. Ash.  
& Beech. East 14.21 Swamp. poor  
soil. Timber Y. Ash. Elm. & Maple

189.10'6 Established Line Butte: Sec. 22x27  
8.50 on S. Ash 20 in. diam. { S. Ash 12. 14.50 N. 33 lbs.  
16.21 1st 2<sup>nd</sup> Sec. post p. wh. { do 14. 11. 49 "  
a G. Ash 12 in. diam. R. N. 43 E. 20 lbs. dia.  
a do 12 " " " N. 9 W. 24 " "  
30.63 a Beech 10 " "  
44.71 a N. Oak 20 " "  
55.21 to Sec. Cor.

North Butte: Section 21x22 Var. 6.30'E.  
32.00 County Road cross E. & W.  
32.50 a Small Creek 25 lbs. wide co. N. W.  
33.41 a Beech 12 in. diam.  
40.00 1st 2<sup>nd</sup> Sec. post p. wh.  
a Beech 8 in. diam. R. N. 62 W. 18 lbs. dia.  
a G. Ash 18 " " " S. 75 E. 4 " "  
44.34 a Poplar 14 " "  
50.00 a Road cross E. & W.  
51.00 a Brush Pond  
56.00 Point of Dry Lane p. the East  
58.00 a Pond & Marsh again extends E. & W.

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

63.00 Clear Marsh

65.00 Improvement - Cornfield

79.50 Clear improvement

80.00 Established Co. to Sec. 15, 16, 21, 22 p. wh.  
a Beech 12 in. diam. E. N. 1/4 Sec. 17 lks. &  
a Do 10 " " " N. 1/4 Sec. 19 "

Land firm 5<sup>00</sup> but second  
rate - Timber W. Oak, Lym. Sugar Beech.  
& Ash - N. 1/4 5.00 Pond poor - N. 1/4 2.00  
second rate - N. 1/4 2.50 Pond poor - Last  
1<sup>00</sup> but good second rate - No timber  
Thick Undergrowth on dry timber Land  
Spice & P. Ash -

Note Banks of Creek at 32.50 4 feet  
high - rapid current.

Aug. 10<sup>th</sup> On Random Betw. Sec. 15 & 22 Var. 4.50 6.

3.00 Improvement again - Peterson

7.00 N. 5.00 log Cabin

12.00 Clear improvement

20.00 State Road has 5.00 6. from  
Peru to Marion38.00 2.00 South. N.W. Cor. of Oliver Morichado  
Farm40.00 1<sup>00</sup> Temp. j. poor

45.00 a Branch 6 lks. wide co. N.

46.00 Improvement - Wheat field

59.36 Interspersed E. Boundary of River at post

! No bearing trees on W. side.

Land this 5<sup>00</sup> gently  
rolling good second rate - Timber  
W. Oak, Poplar, Lym. & Beech -  
Scattering Undergrowth of Spice & Beech -

Aug. 10<sup>th</sup> Established Line Betw. Sec. 15 & 22

15.28 a Beech 24 in. diam. -

477

T 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

- 19.13 Set 2<sup>d</sup> Sec. from p. wh.  
 a Beech 12 in. diam. B. 425 E. 18 lks. dir.  
 a Do 18 " " " N. 76 W. 33 " "  
 44.11 a Do 12 " "  
 59.36 to Sec. Cor.

- North Between Sections 15 & 16. Var. 6.30 East  
 9.50 State Road from 400 E. p. Point Marion  
 20.15 a Hickory 18 in. diam.  
 30.71 a Beech 12 " "  
 40.00 Set 2<sup>d</sup> Sec. from p. wh.  
 a Poplar 18 in. diam. B. N. 87 E. 44 lks. dir.  
 a Sugar 30 " " " S. 77 W. 16 " "  
 45.00 Descent of Bluff Elev. 60"  
 47.50 Foot of Bluff  
 47.59 a Branch 8 lks. wide co. N. E.  
 50.50 Intersection of Left Bank of the Mississippiway  
 River - Establish a Cor. to Sec. 15 & 16 p. wh.  
 a R. Oak 10 in. diam. B. N. 50 W. 44 lks. dir.  
 a W. Oak 36 " " " S. 40 E. 13 " "

April 1847

Land from 4000 feet  
 Second rate - Less 10.50 growth rolling  
 Second rate - Timber W. Oak, Sugar, Beech,  
 & Poplar - Undergrowth Spruce, Hornwood,  
 and Birch - scattering -

- North Between Sections 32 & 33 Var. 6.30 E.  
 4.50 State Road from 400 E. to Marion 485 E.  
 10.00 a Branch 8 lks. wide co. N. W.  
 18.31 a Beech 20 in. diam.  
 33.61 a Do 18 " "  
 40.00 Set 2<sup>d</sup> Sec. from p. wh.  
 a Beech 18 in. diam. B. 66 1/2 W. 28 lks. dir.  
 a Cherry 8 " " S. 72 E. 8 " "  
 50.75 a G. Ash 18 " "



478

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. IndianaChs. 1<sup>st</sup>.

- 66.50 a Large Branch 10<sup>th</sup> wide ca. W.  
 75.00 a Road cross S. 60 E.  
 76.00 a Sugar 12 in. diam.  
 80.00 Established Cor. to Sec. 28 29 32 33 p. wh.  
 a Sugar 24 in. diam. S. 16 E. 16<sup>th</sup> dis.  
 a Beech 12 " " " S. 8 W. 15 " "  
 Land this 80.00 lured second-  
 rate Timber Oak, G. Ash, Sugar & Beech.  
 Thick growth of Spruce, Fir & Beech.

- 189.30 E. On Random Betw. Sec. 28 & 33 Var. 4.50 East  
 17.00 a Branch 8<sup>th</sup> wide ca. S. 80 W.  
 22.00 Branch again 8. " " N. 80 W.  
 40.00 S. L. Spruce, fir  
 45.00 an Elm Swamp extends N. & E.  
 50.00 Clear Swamp.  
 60.00 a Road cross East.  
 65.00 a Do Do S. 65 E.  
 79.34 Intermittent N. & E. Sim betw. 4. of port  
 Land first 45.00 lured second-  
 rate Timber Oak, Sugar, G. Ash, and  
 Beech. Next 11.60 Swamp, thin rate.  
 Timber Elm Maple & S. Ash. Last 23.34  
 lured second rate Timber Oak, Ash,  
 Spruce & Beech - Undergrowth  
 on dry land P. Ash, Spruce & Beech.

- 189.51 W. Established Line Betw. Sec. 28 & 33  
 8.43 an G. Ash 12 in. diam.  
 18.00 a G. Ash 18 " "  
 37.19 an S. Elm 20 " "  
 39.67 S. L. 2<sup>nd</sup> Sec. port p. wh.  
 a Sugar 20 in. diam. S. 46 E. 23<sup>th</sup> &  
 a Do 18 " " " N. 63 W. 39 "  
 50.22 a Beech 12 " "  
 60.71 a Do 12 " "

479

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Ch. 16.

79.34 to Sec. Cor.

---

North Between Sections 28 & 29 Var. 6.30' East.

12.80 a Sugar 18 in. diam

25.00 a W. Elm 24 " "

30.63 a Beech 12 " "

40.00 Gr L Spr. 7. 10 ft. wh.

an Ironw. 8 in. diam. B. N. 53° E. 21' 11 in. L

a Do 6 " " " N. 84° W. 18 "

45.64 a G. Ash 18 " "

63.50 a Road bars N. E.

65.00 a Swamp.

73.10 an S. Elm 18 in. diam.

76.00 Clear Swamp

80.00 Established Cor. to Secs. 20, 21, 28, 29 p. wh.

a Beech 8 in. diam. B. S. 9 E. 11' 11 in. dis.

a R. Elm 8 " " " N. 86° W. 14 " "

Land first 65.00 had second  
rate - Timber W. Oak, Beech, Elm, Spruce,  
and Sugar. - Next 13.00 Swamp third  
rate - Timber S. Elm, Ash & Maple -

Last 2.00 had second rate - Timber  
as before - Scattering growth of Spruce  
Beech & Ironwood -

---

N. 89° 5' E On Random Betw. Secs. 21 & 28  
Variation 4.50' East

40.00 Gr L Spr. 7. 10 ft. wh.

50.00 a Willow-Pond

55.00 Clear Pond

60.25 a Road bars N. E.

79.25 Interrupted N. Y. Pine at pond

Land first 50.00 had second  
rate - Timber Oak, Beech, Sugar, Spruce,  
& Hickory, - Next 5.00 Pond poor - Last  
24.25 had good second rate - Timber

480

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Ch. 16.

W. Oak. Poplar. Beech. Lymn. — Thin  
Undergrowth of Spice. P. Ash. Sugar & Beech.  
throughout

189.5 W. Established Line Betw. Sec. 21 & 28

24.71 a Beech 20 in. diam.

39.62 Set 2<sup>nd</sup> Sec. from sp. wh.

a Beech 5 in. diam. 8<sup>th</sup> 166 W. 8 M. dis.

a Do 12 " " " N 20 W. 39 " "

44.29 a R. Elm 18 " "

50.37 a Beech 20 " "

64.91 a Lymn 18 " "

79.25 To Sec. Cor.

North Return Section, 20 & 21 Var. 6.30' E.

5.00 County Road bars N. 75 E.

14.00 a Beech 12 in. diam.

31.76 a Poplar 36 " "

36.00 a Road bars N. 70 E.

40.00 Set 2<sup>nd</sup> Sec. from sp. wh.

a W. Elm 24 in. diam. 8<sup>th</sup> 488 W. 25 M.

a G. Ash 6 " " " N 57 E. 17 "

49.22 a W. Elm 18 " "

56.27 a W. Oak 12 " "

73.50 a Creek 35 M. wide co. W.

80.00 Established Cor. to Sec. 16, 17, 20, 21 p. wh.

a Beech 10 in. diam. 8<sup>th</sup> 496 E. 36 M. &

a Do 8 " " " N 46 W. 27 "

Land this 8000 has second  
rate — Timber W. Oak, Ash, Elm, and  
Beech — Thick Undergrowth of  
Spice. P. Ash. & Beech —

189.5 E On Random Betw. Sec. 16 & 21. Var. 4.50' East

9.50 Improvement

16.50 Leave Do



# 481

## T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

40.00 Set Temp. for  
 79.35 Intersected N. & S. Line 7 lks. S. of post  
 Land this 79.35 had second  
 rate Timber Oak, G. Ash, Lym. & Beech.  
 Ungth. Spruce & Beech. scattering -

89.2' W Established Line Betw. Secs. 16 & 21  
 10.25 a Beech 12 in. diam.  
 20.55 a Lym 18 " "  
 36.00 a Beech 20 " "  
 39.67 Established 2<sup>d</sup> Sec. for p. wh.  
 a Beech 10 in. diam. to N. 44 W. 23 lks. &  
 a Do 6 " " " S. 23 W. 23 "  
 50.42 a G. Ash 20 " "  
 75.46 a Beech 12 " "  
 79.35 to Sec. Cor. April 5, 1847

North Between Sections 16 & 17 Var. 630' E.  
 21.37 a Beech 18 in. diam.  
 30.91 a Do 12 " "  
 40.00 Set 2<sup>d</sup> Sec. for p. wh.  
 a Beech 18 in. diam. to S. 19 E. 20 lks. x  
 an Iron? 8 " " " N. 19 W. 24 "  
 47.00 a Roa. cross E. & W.  
 80.00 Established Cor. to Sec. 8, 9, 16, 17. p. wh.  
 a Sugar 30 in. diam. to N. 9 W. - the dis.  
 a Do 30 " " " S. 68 E. - " "  
 Land this 80.00 had second  
 rate - Timber W. Oak, Sugar, Hickory, Elm &  
 Beech - Thin Ungth. of Spruce & Beech -

N. 89 E On Random Betw. Sec. 9 & 16 Var. 4.50 East  
 10.50 a Branch 6 lks. wide co. N.  
 34.50 State Road cross N. 25 W. p. from to Marion  
 35.50 Improvement  
 40.00 Set Temp. for



# T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Chs. Lks.

- 41.00 Clear Improvement  
 57.50 Intersected N. Line of the Broaa Ripple  
 Section No. 1  
 Established Cor. to Sec. 9 & 16 p. wh.  
 a Sugar 24 in. diam. b. N. 32 E. 35 lks.  
 a Beech 20 " " " N. 48 E. 25 "  
 South along N. Boundary 13.18  
 to S.W. Cor. of Sec. 11. 4.26 to Cor.  
 Same this 57.50 had  
 second rate Timber N. Oak Beech.  
 Sugar. Lym. and Beech  
 Magn. Spruce Beech

- 489<sup>th</sup> Established Line Betw<sup>th</sup> Sec. 9 & 16  
 8.50 a Beech 12 in. diam  
 10.50 1st P. Sec. 10 & 11 p. wh.  
 a W. Elm 36 in. diam. b. N. 83 E. 21 lks. d  
 a Hick<sup>y</sup> 8 " " " N. 37 1/2 E. 67 "  
 31.09 a Beech 12 " "  
 50.50 to Sec. Cor.

- North Between Sections 8 & 9 Var. 6.30 E.  
 4.35 Intersected S. Boundary of Broaa Ripple  
 River (Sec 1). Established Cor. p. wh.  
 a W. Oak 18 in. diam. b. N. 78 W. - lks. d  
 an Elm 6 " " " N. 13 E. - "  
 West along S. Boundary 23.94 to  
 Cor. - Continued Line N.  
 65.26 Intersected N. Boundary of Broaa Ripple  
 Sec. No. 1 - Established Cor. p. wh.  
 a R. Oak 14 in. diam. b. N. 72 E. 58 lks. d  
 a Lym 12 " " " N. 50 W. 17 "  
 70.00 Improvement - belong to Rinbarger  
 Contains 30 Acres  
 80.00 Established Cor. to Sec. 4, 5, 8, 9 p. wh.  
 a G. Ash 18 in. diam. b. N. 42 W. 1.38 lks.

# 483

## T25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

a Buckeye 10 in. diam. B. N. 60 E. 138 lbs.

From Post on N. Boundary of Reserve  
Cor. to Sec. 8 & 9 - 480 50 W. 24 10 to the N.W. cor.  
of Broad Ripple Section

Land from 4.35 and last  
17.75 had second rate Timber W. Oak,  
Elm. G. Ash & Beech - no Undergrowth

N. 89 E. Between Sections 429 - Var. 4.30 E

- 4.00 Leave Roubagens improvement
- 15.50 Commencement of Descent of Bluff Bank
- 16.75 Foot of Descent
- 17.00 Intersected Left Bank of the Mississippiway  
River Co. N.W. Established Cor. to Sec. 429 p. wh.  
a Hick. 18 in. diam. B. N. 80 W. 4 lbs. &  
a Buckeye 10 " " " 28 W. 28 "

Land this 17.00 rolling second  
rate Timber W. Oak, Hick., Sugar. & Beech.  
Scattering Undergrowth of Spice Woods & Beech  
April 6<sup>th</sup> 1847

North Between Sections 425 Var. 6.30 E.

- 15.00 Leave Improvement
- 21.00 a Beech 12 in. diam
- 22.00 Descent of Ravine Elev. 60.
- 22.75 Bottom of Ravine Branch 3 lbs. wide co. E.
- 23.00 Ascent of Ravine
- 23.75 Summit
- 24.00 Gro. Roubagens improvement
- 34.00 Leave Improvement
- 40.00 Established 2<sup>nd</sup> Sec. from p. wh.  
a Beech 12 in. diam. B. N. 17 E. 10 lbs. dia.  
a Hackberry 8 " " " 85 W. 20 " "
- 40.10 Descent of Steep hill
- 41.00 Low Bottom Land
- 42.00 a Branch 8 lbs. co. East

484 T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
 chs lks.

56.10 Intersected Left Bank of Mississippiway  
 River - set post to Sec. 4 & 5. 1 p. wh.  
 a Hackberry 24 in. diam. to 1 1/2 ft. 70 lks. x  
 a Buckeye 10 " " " N. 46 W. 27 "  
 45 lks. N. of Paul County Line  
 Land rolling second  
 rate. Timber as before

---

North Between Sections 31 & 32 Var. 6.30'E.

16.00 a Beech 12 in. diam.  
 27.50 State Road bars 1/2 96. from  
 Delphi to Marion -  
 31.56 a Beech 18 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 10 in. diam. to 1/2 4 E. 14 lks. x  
 a Do 8 " " " N. 79 1/2 W. 10 "  
 51.20 a Sugar 18 " "  
 69.77 a Do 14 " "  
 80.00 Established Cor. to Secs. 29, 30, 31 & 32 p. wh.  
 a Beech 12 in. diam. to 1/2 65 1/2 E. 22 lks.  
 a G. Ash 20 " " " N. 74 W. 25 "

Land this 80.00 land second  
 rate - Timber, Poplar, G. Ash, Hick, Sugar,  
 and Beech - Thick undergrowth of Spice,  
 Ironw. and Beech -

---

N. 89.30'E On Random Btwn. Secs. 29 & 32 Var. 4.50'E

14.90 a Branch 6 lks. wide co. North.  
 39.80 W. side of J. Sparks farm contains 20 A.  
 46.00 Set Temp. post  
 46.00 Stable - and S. 100 Log Cabin  
 50.00 Leave Farm to the S. E.  
 53.50 Big Pipe Creek ca. N. W. Low Banks.  
 How current  
 54.70 Leave Creek  
 72.50 a Road bars S. E.

Compt



# T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

79.10 Intersected Sec. Line at post  
 Land this 79.10 had second  
 rate - Timber G. Ash. Sugar. Beech. Lym.  
 Wngth. Spruce & P. Ash

89.30 W. Established Line Betw. Sec. 29 & 32  
 25.06 a Beech 12 in. diam  
 39.55 Set 2<sup>nd</sup> Sec. post p. wh.  
 an H. Elm 24 in. diam. t. N. 28 W. 82 lks.  
 a Do 24 " " " 4.35 W. 43 "  
 69.21 a Sugar 20 " "  
 79.10 to Sec. Cor.

89.30 W. On Random Betw. Sec. 30 & 31 Var. 4.50 E.  
 29.00 a Branch 15 lks wide c. st.  
 40.00 Set Temp. post  
 76.50 Intersected N. Boundary 1.30 N. of post  
 Land this 76.50 had second  
 rate - Timber W. Oak. Lym. Sugar & Beech.  
 Thick Wngth. of Spruce. Ironb. & P. Ash.

N. 88° 33' E. Established Line Betw. Sec. 30 & 31  
 a Beech 12 in. diam. t. S 77 E. 14 lks. dis.  
 a Do 8 " " " N 55 E. 60 " "  
 15.82 a Do 18 " "  
 31.63 a Sugar 12 " "  
 36.50 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Sugar 30 in. diam. t. S 77 E. 16 lks. dis.  
 a Hickory 18 " " " N 43 W. 21 " "  
 51.09 a Beech 12 " "  
 76.50 to Sec. Cor.

North Between Sections 29 & 30 Var. 6.30 East  
 14.22 a Beech 18 in. diam  
 20.50 Pipe Creek c. st. N. Low Banks slow current  
 24.32 Leave Pipe Creek



# S. 25 N. R. 7 E. 2<sup>nd</sup> Mrs. Indiana

Chs. lks.

35.00 E. 100 S. N. Co. of Chd. W. M. Smiths improvt.  
Captains 16 Acres—

40.00 Sel 2<sup>nd</sup> Sec. 1st sp. wh.  
a G. Ash 36 in. diam. B. 134 E. 24 lks. dis.  
a Beech 10 " " " 24 W. 47 " "

41.00 1.50 E. South Log Cabin

60.00 Leave N. N. Co. of Improvement

70.00 a W. Elm 24 in. diam

80.00 Established Co. to Sec. 19, 20, 29, 30 sp. wh.  
a Beech 24 in. diam. B. 158 E. 27 lks. dis.  
a Blue Ash 24 " " " 1.3 W. 41 " "

Land thin 80.00 had second  
rate—Timber W. Oak, Lymn, G. Ash, Poplar,  
Hickory & Beech—Undergrowth. Spruce  
Pine, Beech & P. Ash—Scattering—

189306 On Random Betn<sup>th</sup> Sec. 20 & 29

Junior 4.50 East

2.00 County Road trans N. & S.

35.00 Branch a Blue Elm, wide co. N. W.

40.00 Sel 2<sup>nd</sup> Sec. 1st sp.

67.50 County Road trans N. & S.

79.50 Intersecta Sec. 20 & 29

Land thin 79.50 had second  
rate—Timber W. Oak, Lymn, Sugar Ash,  
and Beech—Scattering undergrowth  
of Spruce & P. Ash—

189307 Established Lim. Betn<sup>th</sup> Sec. 20 & 29

19.71 a Lymn. 18 in. diam

33.36 a Beech 12 " "

39.75 Sel 2<sup>nd</sup> Sec. 1st sp. wh.

a Hickory 20 in. diam. B. 157 E. 9 lks. dis.  
a Ironwood 6 " " " 139 W. 28 " "

54.61 a Beech 12 " "

60.04 a Sugar 12 " "

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

2487

chs. lks.

65.08 a Beech 18 in. diam.

79.50 to Sec. Cor.

188.33<sup>1</sup>/<sub>2</sub> On Random Betw<sup>th</sup> Sec. 19 & 30 Var. 4.50 E.

10.00 Pipe Creek corner N.

12.00 Clear 200 low Banks Star Current

14.00 Abraham Priebers Improvement

24.00 Clear 200 - contains 10 Aers -

30.00 Low wet Land

40.00 Set Temp<sup>y</sup> post

41.00 Pipe Creek Co. S. low Banks Star Current

45.00 Clear 200 - Low Land continues

63.00 Clear low wet Land

64.50 County Road bears South

75.00 Intersected W. Boundary at post

Land first 30.00 but second  
rate Timber Oak, G. Ash, Spruce & Birch -  
Next 33.00 Low wet Land - third rate  
Timber S. Elm, Ash, Maple, & Birch -  
Last 12.00 dry Land - but second rate -  
Scattering Unagth. of Spruce & P. Ash -

188.33<sup>1</sup>/<sub>2</sub> Established Line Betw<sup>th</sup> Sec. 19 & 30

a Beech 12 in. diam. 4.50 E. - Mer.

a 200 12 " " N. 43 E. 4 "

12.10 a Beech 12 " "

35.00 Set 2<sup>d</sup> Sec. post for. wh.

a S. Ash 10 in. diam. to N. 43 E. 16 lks. dis.

a 200 8 " " " 4.25 N. 23 " "

55.23 a Beech 12 " "

75.00 to Sec. Cor.

North Betw<sup>th</sup> Section 19 & 20 Var. 6.30 East

7.50 S. side of J. Deals improvement contains 8.

Aers - & Log cabin on E. part

9.50 Line of County Road bears N.W. This

25 N. R. & E. 2<sup>nd</sup> Mr. Indiana  
chs lks.

County Road leads up Pipe Creek.  
Thence to Marion—

- 17.50 Clear Improvement  
28.18 a W. Oak 36 in. diam.  
36.57 a Beech 12 " "  
40.00 Sel 2<sup>nd</sup> Sec. for p. wh.  
a W. Oak 12 in. diam. to N. 63<sup>1</sup>/<sub>2</sub> E. 31 lks. &  
a Beech 12 " " " N. 30<sup>1</sup>/<sub>2</sub> E. 24 "  
57.00 John Sprau's improvement contains  
10 Acres & Log Cabin on N. part  
66.50 Clear improvement  
71.00 a Branch 6 lks. wide co. N. & W.  
75.00 Branch again comm. N. 10 E.  
80.00 Established junction a Branch comm. ~~to~~  
to Section 17, 18, 19, 20 p. wh.  
a G. Ash 20 in. diam. to N. 35 E. 21 lks.  
a Beech 20 " " " N. 63<sup>1</sup>/<sub>2</sub> E. 47 "

Land first 40.00 level second  
rate - Timber W. Oak, G. Ash, Syc. and  
Beech - Last 40.00 gently rolling  
second rate - Timber W. Oak, G. Ash,  
Syc. Sugar, & Beech - Undergrowth  
Spice, R. Ash, & Beech. Scattering

- 189.366 On Random Betw<sup>en</sup> Sec. 17 & 20 - Var. 4.50' E.  
3.00 a Branch 6 lks. wide co. N. & E.  
11.00 a Road bars N. & E.  
34.00 Log Cabin & small improvement for acre  
39.00 a Branch 6 lks. wide co. North  
40.00 Sel Temp. for  
70.00 a Creek 25 lks. wide co. N. & W.  
79.60 Intersection N. & S. Line 10 lks. N. of junction  
Land first 40.00 level second  
rate - Timber W. Oak, Sugar, Beech,  
Hickory, Elm, & Syc. - Last 39.60  
gently rolling 2<sup>nd</sup> rate - Timber as before -

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana <sup>489</sup>

chs. lks.

§89.34<sup>1</sup>/<sub>2</sub> Established Line Beto<sup>2</sup> Sec. 17 & 20

15.37 a Beech 20 in. diam.

35.12 a Lym 18 " "

39.80 Set 2<sup>nd</sup> Sec. post fr. wh.

a Beech 8 in. diam. to §89<sup>1</sup>/<sub>2</sub> M. 6 lks. dis.

a Sugar 12 " " " N. 58.24 " "

50.63 a W Oak 24 " "

65.26 a Sugar 12 " "

79.60 to Sec. Cor. April 7, 1847

§88.33<sup>1</sup>/<sub>2</sub> On Random Beto<sup>2</sup> Sec. 18 & 19 Var. 450' E.

20 Clear Branch

3.00 Neighborhood Road bears N. & S.

28.50 a Branch 6 lks. wide co. S. E.

40.00 Set Temp. y. post

73.38 Intersected W. Bourne y. 10 lks. S. of post

Land this 73.38<sup>1</sup>/<sub>2</sub> M. Sec. 18  
note - Timber W. Oak, G. Ash, W. Elm, Lym,  
& Beech - scattering length of Spruce, P.  
Ash & Beech -

N. 88.37<sup>1</sup>/<sub>2</sub> Established Line Beto<sup>2</sup> Sec. 18 & 19

an H. Elm 30 in. diam. to N. 18 E. 2 lks. dis.

a Beech 10 " " " §43<sup>1</sup>/<sub>2</sub> E. 37 " "

17.68 a L<sup>o</sup> 20 " "

23.41 a Sugar 18 " "

33.38 Set 2<sup>nd</sup> Sec. post fr. wh.

a R. Oak 12 in. diam. to §16<sup>1</sup>/<sub>2</sub> M. 47 lks. dis.

an H. Elm 18 " " " N. 33 E. 12 " "

68.71 a Beech 12 " "

73.38 to Sec. Cor.

North Between Sections 17 & 18 Var. E. 30' E.

15.07 a Beech 12 in. diam.

30.39 a L<sup>o</sup> 24 " "

40.00 Set 2<sup>nd</sup> Sec. post fr. wh.



T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
ch. lks.

- a Beech 12 in. diam. b. N. 21 E. 20 lks. dis.  
a Do 10 " " " S. 37 W. 23 " "  
56.71 a Do 12 " "  
65.00 S. M. side of J. Bentzen's improvement  
75.00 Clear Improvement  
80.00 Established Co. to Sec. 7, 8, 17, 18, p. wh.  
a Sugar 12 in. diam. b. S. 78 W. 35 lks. dis.  
a Beech 10 " " " N. 62 E. 18 " "

Land from 46.70 to 80 Second  
rate. Last 40.00 gently rolling - Timber  
throughout. W. Oak, G. Ash, Sugar, Ironw.  
and Beech - scattering Undergrowth of  
Spice, Ironw. & Beech -

189.50 E. On Random Betw. Sec. 8 & 17 Var. 450' E.

6.00 a Creek 25 lks. wide co. North.

10.21 Intersected W. Boundary line of the Broad  
Ripple Section No. 1. Set Temp. post

55.74 Intersected E. Boundary of Ripple Sec. No. 1  
and set Temp. post

79.68 Intersected N. E. line at post

Land from 10.21 to last 23.94  
but second rate - Timber W. Oak, G. Ash,  
Sugar, & Beech - scattering Undergrowth  
of Spice, Beech & Ironw.

189.30 W. Established line betw. Sec. 8 & 17

23.94 Set post on E. Boundary of Sec. 1. Resour. p. wh.

a Buckeye 10 in. diam. b. S. 60 E. 39 lks. &

a Hickory 12 " " " N. 73 E. 30 " "

North along E. Boundary line 4.18  
to Cor. - South along E. Boundary line 15.85  
to post S. E. Cor.

69.47 Established post Cor. to Sec. 8 & 17 on West

Boundary line of Broad Ripple Sec. No. 1.

a Beech 12 in. diam. b. N. 23 W. 6 lks. dis.

491

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

a Beech 10 in. diam. to S 26 1/2 W. 44 lks. &  
 South 16.00 to post S.W. Cor. of Sec.  
 North 24.56 to post N.W. Cor. " "  
 79.66 to Sec. Cor.

---

188.33' W. On Random Betw. Sec. 7 & 18. Var. 45° E.  
 3.50 Ambrose Wrights improvement. contain  
 10 acens, and Log Cabin  
 10.50 Clear improvement  
 40.00 Set Temp'y. post  
 67.00 Ash & Elm Swamp  
 72.00 Intersected N. Boundary. Line at post  
 Land first 67.00 had open  
 Second rate - Timber W. Oak, Sugar. Lym.,  
 Poplar, & Beech - Ungth. Spruce & Beech.  
 Last 5.00 Swamp floor - Timber Y. Ash.  
 and Elm -

---

188.33' E. Established Line. Betw. Sec. 7 & 18 -  
 an S. Ash 8 in. diam. to N 29 E. 34 lks.  
 a R. Oak 10 " " " S. 47 W. 29 "  
 5.40 an S. Ash 12 " "  
 10.20 a R. Oak 8 " "  
 25.37 a Beech 12 " "  
 32.00 Set Dr. Sec. post p. wh.  
 a Beech 10 in. diam. to S 7 1/2 E. 22 lks. &  
 a Do 12 " " " N 80 1/2 W. 15 "  
 45.00 a Lym 20 " "  
 60.18 a Beech 12 " "  
 72.00 to Sec. Cor.

---

North Between Section 7 & 18 Var. 6.50 E.  
 9.00 a Creek 25 lks. wide co. N. 10 W. - Low  
 Banks. - Rapid current  
 18.00 a Beech 12 in. diam.  
 29.17 a Do 18 " "

492

S. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana  
Ch. lks.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Birch 30 in. diam. E. N. 51 W. 10 lks. dis.  
a G. Ash 10 " " " 4.75 E. 19 " "

46.00 a Sugar 20 " "

46.50 a Branch 4 lks. wide co. N. W.

66.00 Small improvement & Log Cabin.

70.00 a Branch 6 lks. wide co. W.

71.00 Lean improvement

80.00 Established Cor. to Sec. 5, 6, 7, 8. p. wh.  
a Sugar 30 in. diam. E. N. 1 E. 25 lks.  
a W. Elm 24 " " " 4.40 W. 5 "

Land this 80.00 gently rolling  
Second rate - Timber W. Oak, Sugar,  
Hickory & Birch - Scattering Mgtth.  
of Spice, Irono<sup>g</sup> & Birch -

N. 89° 30' E. On Random Betw<sup>n</sup> Sec. 5 & 8

Variation 4.50' East

40.00 Set Temp<sup>y</sup> post

42.00 State Road cross 4.25 E.

66.00 S. Rintarger improvement

79.55 Intersected Sec. Line 10 lks. N. of post

Land this 79.55 gently  
rolling Second rate - Timber Oak,  
G. Ash, Sugar, Elm & Birch - Mgtth.  
Spice - Scattering -

N. 89° 34' W. Established Line Betw<sup>n</sup> Sec. 5 & 8

20.71 a Birch 12 in. diam.

35.15 a Lumn 18 " "

39.77 Set 2<sup>nd</sup> Sec. post p. wh.

a Birch 18 in. diam. E. N. 21 W. 11 lks. &

a Do " " " " 4.59 W. 37 "

45.08 a Poplar 24 " "

65.10 a Sugar 18 " "

79.55 to Sec. Cor. —

493

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup>.

188.33<sup>1</sup>/<sub>2</sub> On Random Betw<sup>th</sup> Sec<sup>s</sup> 6 & 7.

Variation 4.50 East

- 6.94 James Alexanders improvement  
contains 20 Aers & Log Cabin  
20.00 South 2.00 Log House  
29.00 Carl Creek 25<sup>th</sup> k. wide co. N.  
30.00 Lean Improvement  
40.00 Sel. Temp. 1/2<sup>nd</sup> for  
70.50 Intersected W. Boundary at for

Land this 70.50 hold second  
rate - Timber W. Oak, G. Ash, Sugar and  
Beech - Undergrowth Spic<sup>er</sup>, Beech,  
and Ironw<sup>ood</sup>. Scattering

- 188.33<sup>1</sup>/<sub>2</sub> Established Line Betw<sup>th</sup> Sec<sup>s</sup> 6 & 7  
a Beech 12 in. diam. ~~to~~ S 51<sup>1</sup>/<sub>2</sub> E. 42<sup>1</sup>/<sub>2</sub> k. &  
a Do 10 " " " N 45<sup>1</sup>/<sub>2</sub> E. 58 "  
10.53 a Poplar 18 " "  
25.16 a Beech 12 " "  
30.50 Sel. 2<sup>nd</sup> Sec. for 1/2<sup>nd</sup> sp. wh.  
a Sugar 12 in. diam. ~~to~~ N 24 E. 3<sup>1</sup>/<sub>2</sub> k. dis.  
a Beech 10 " " " S 72 W. 25 " "  
35.28 a Do 18 " "  
70.50 to Sec. 6 cor. — April 8, 1847

North Between Sections 5 & 6. Var. 6.30 E.

- 8.63 a Beech 30 in. diam.  
29.16 a Sugar 24 " "  
38.72 Intersected N. Boundary of Sec<sup>s</sup> 5 & 6. N<sup>o</sup> 2.  
bring on of the 7 Section Resound to  
J. B. Richardville - 1.60 East of the S. W. Cor.  
Established Cor. to Sec<sup>s</sup> 5 & 6. pr. wh.  
a Beech 12 in. diam. ~~to~~ S 13 E. 41<sup>1</sup>/<sub>2</sub> k. &  
a Sugar 18 " " " S 47 W. 54 "  
Land this 38.72 hold second  
rate - Timber W. Oak, Sugar, & Beech -



T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Chs. lks.

scattering Magnth of Spruce, Beech.  
and Ironwood -

S. 89 E.

53.80 to S.E. Cor. of Sec. 2.

Meanders of the Left Bank  
of the Mispissinaway River, beginning  
at post on E. Boundary. - thence down stream.

Course	chs. lks.	Remark
S. 42 W.	2.00	In Sec. 15
S. 15 W.	10.50	
S. 64 W.	11.00	at 1.00 N.E. Cor. of improvement
N. 75 W.	6.00	
N. 68 W.	12.00	
N. 79 W.	19.50	at 3.00 Mouth of Branch 6 lks. wide at 13.50 Leave improvement
N. 54 W.	6.50	
N. 43 W.	5.00	Post Cor. to Sec. 15 & 16. Mouth of Branch 6 lks. wide
N. 16 W.	10.00	at 1.00 Bluff Bank.
N. 2 W.	5.00	Post S.E. Cor. of Broad Ripple Reserve - Sec. 1.

Meanders of the Left Bank of  
the Mispissinaway River. Beginning at post  
N.E. Cor. of the Broad Ripple Sec. 1. Thence  
down stream - in Sec. 9.

N. 26 W.	4.00	Low Bottom Land at beginning
N. 59 W.	5.00	Bluff Bank 1.00 S.
N. 35 W.	10.59	to Cor. of Sec. 4 & 9

N. 22 W.	15.00	In Sec. 11.
N. 4 W.	7.50	at 2.00 Bluff Bank has N.W.
N. 11 W.	8.00	

495

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Meanders Contd.

Courses	Chs. Mts.	Remarks
N. 5 W.	8.50	
N. 23 W.	17.50	at 16.00 Mouth of Branch
N. 58 1/2 W.	2.54	Intersected at point cor. to 425
N. 30 W.	11.50	In Sec. 5. at 45 Mts. Grant County Line —
N. 3 E.	6.50	at 2.00 Corners Improvement
N. 3 W.	6.00	Intersected at Boundary Line of Township — April 9, 1847

The Land in Tract Township  
N. 25 North Range 7 E. is heavy timbered  
Land - low second rate - The timber is  
N. Oak, Poplar, Sym. & G. Ash. with a  
thick undergrowth of Spice P. Ash, Hornwood &  
Beech. - The Land immediately along  
the Mississippi River is broken with  
high Bluffs, Banks, and deep abrupt  
Ravines. - The Land in the swamps  
and Marshes is poor. - The Timber  
being Soft. Ash, Elm & Maple. - The  
Creeks, bearing a Northwest direction  
through the Township, have low  
Banks, and a sluggish current —

I Abner E. Van Ness Depy.  
Surveyor, do solemnly swear that in  
pursuance of a Contract dated the twen-  
tieth day of May 1846 with Lucius Lyon  
Sur. Genl. of the United States for  
Ohio, Indiana, and Michigan, and in strict  
conformity to the laws of the United States,  
and Instructions of said Sur. Genl. I

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

have regularly Surveyed & subdivided  
into Sections Tract Township N. 24 N. of  
Range N. 7 E. of the Second Principal  
Meridian in the State of Indiana

And I do further solemnly swear  
that the foregoing are the true and  
Original Field Notes of the said  
Survey and Subdivision executed as  
aforesaid - Almer E. Van Ness  
Depty. Surveyor

Subscribed and sworn  
to before me, this 29<sup>th</sup> day of May  
1847  
Jas. W. Dunn  
Justice of the Peace

Justus Miners  
James Bell } Chainmen

Isrom N. Gunier - Marker.

Survey connecting Private  
Claims with Public Surveys

Survey of Broad Ripple  
Riser N. 1. including an Island  
in the Mississippiway - Commencing  
at Stone on the W. Bank of River, nearly  
opposite foot of Island - from wh.  
a Hackberry 22 in. diam. b. N. 29 W. 26 1/2  
an Elm 6 " " " N. 40 E. 19 "

4.15 E.	11. 62	up stream
4.31 1/2 E.	45. 00	
4.59 E.	7. 50	
N. 79 E.	5. 00	
4.80 E.	10. 00	



# 497

## T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana

1.37 E. 6.00

1.17 E. 6.00

1.25 W. 14.00 to a stone S. E. Cor. p. wh.  
 a W. Oak 18 in. diam. to S. 49 E. 16 lks. &  
 a Do 24 " " " N. 65 W. 37 "  
 ch. lks. Thence on S. Boundary.

West

25.00 to a post from wh.  
 a Sugar 20 in. diam. to N. 29 E. 15 lks. &  
 a Beech 6 " " " S. 9 E. 42 "

North

17.47 to a point from which  
 a Cherry 20 in. diam. to N. 22 W. 29 lks.  
 a Beech 18 " " " S. 89 E. 32 "

West

74.62 to a post from which  
 a Beech 18 in. diam. to N. 37 W. 24 lks. &  
 a Do 8 " " " S. 32 E. 13 "

South

20.00 to a post from which  
 a Beech 18 in. diam. to South 8 lks. &  
 a Do 18 " " " N. 13 W. 31 "

West

45.00 to a post from which  
 a Buckeye 9 in. diam. to N. 29 W. 11 lks. &  
 an Iron to 6 " " " S. 66 E. 13 "

North

40.00 to a post from which  
 a Walnut 40 in. diam. to S. 74 W. 43 lks. &  
 a Do 10 " " " N. 16 W. 10 "

East

50.00 to a post from which  
 a Beech 21 in. diam. to S. 80 E. 6 lks. &  
 a Sugar 3 " " " N. 89 W. 17 "  
 a Rock 24 " " " S. 43 E. 16 "

North



498 T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

40.00 to a post from which  
a Beech 15 in. diam. N. 81 E. 28 lks. &  
a Do 7 " " N. 86 W. 19 "

East

47.50 to post on W. Bank of River A. -  
on the Diagram A. - and place  
of Beginning - Containing  
626.40 Aers -

Survey of Island  
Part of Sec. No. 1

Courses ch. lks. Remarks

S. 60 E. 6.00

S. 25 E. 24.00

S. 4 E. 9.50

S. 43 W. 5.00

N. 23 W. 28.00

N. 19 W. 5.08 to place of Beginning  
Containing 13.99<sup>th</sup> Aers - which  
added to the main Land makes  
640.39<sup>th</sup> Aers -

Surveyed in 1843 by  
David P. Alder  
County Surveyor of Grant County  
Indiana -

Note by Recorder

Starting point for Survey of  
Island not given by Surveyor - but  
supposed to be at lower end. and  
thence running up stream on East  
side of Island

---

The above Survey was made  
in May 1843 in pursuance of a Treaty  
made with the Miami Nation of Indians  
Nov. 28. 1840 - and confirmed with

499

T. 25 N. R. 7 E. 2<sup>nd</sup> Mer. Indiana.

certain amendments by the United States Senate - Feb'y 25. 1841. which said Amendments were accepted by the Indians - May 15<sup>th</sup>. 1841. whereupon the said Treaty received the final sanction and ratification of the United States Senate June 17<sup>th</sup>. 1841 - One of the Articles specified in said Treaty granted unto John B. Richardville one of the chiefs of said Miami Nation of Indians - seven sections of Land to be selected at such point or points, as he the said John B. Richardville may select (Not less than one Section to be selected at any one point) whereupon the above Lands were and are selected as a part of said Grant.

David P. Alder  
County Surveyor  
Grant County,  
Indiana

---

Note by Recorder.

See Record of Records N<sup>o</sup>. 2 & 3. with  
the Record of T. 26 N. R. 7 E. -

---

I certify that the foregoing Transcript of the Field Notes of Mac. Township N. 25 North, in Range N. 7 E. 2<sup>nd</sup> Mer. Indiana has been compared with the Original notes in this Office and found to be correct.

Surveyor Genl's Office  
Detroit Nov. 6. 1849

Lucius Lyon  
Sut. Genl.